



**LOCAL BUILDING CODE
BOARD OF APPEALS
NOTICE & AGENDA**

Thursday, November 17th, 2016 at 6:30 p.m.

*Narragansett Town Hall
25 Fifth Avenue
Narragansett, RI 02882
(401) 789-1044*

**LOCAL BUILDING CODE
BOARD OF APPEALS**

Chairman

James P. Manning

Vice Chairman

Anthony Brunetti

Secretary

Geraldine Citrone

Members

Robert Ferraro

Joseph V. Paglia

Alternate Members

John C. Kennedy

Christopher Almon

Community Development

Director

Michael DeLuca

Staff

Jill Sabo

Bruce Lofgren

Clerk of the Board

Denise Buonanno

Zoning Enforcement

Officer

Anthony Santilli

**CONVENE/ROLL CALL:
ABSENT WITH CAUSE:
ADMINISTRATIVE MATTERS:**

1C: Minutes: Approval of meeting minutes from October 20th, 2016.

2R: Application for Variance of the State Building Code: John Sienko,
Assessor's Plat N-F, Lot 349, 4 Baneberry Trail for a Variance from the
Rhode Island State Building Code (International Residential Code 2013)
Residential Building Code, Section R311.7.8.1 specifically, a Handrail Height
Variance to lower the handrail from the allowable 34-38 inches to 32 inches.

3R: Application for Variance of the State Building Code: Middlebridge
School, Inc., Plat F, Lot 16, 333 Ocean Road for a Variance from the Rhode
Island State Building Code, Chapter 29, Section 2902.1, specifically relief from
the required water closets and lavatories.